

MAINTENANCE CLEANER

SYS-CLEAN MC1.0 is a water-based, alkaline cleaning agent for cleaning soldering frames and devices, furnace parts and filters at room temperature. **SYS-CLEAN MC1.0** reliably cleans burnt flux residue, and oils and fats.

The most stubborn dirt is removed by **SYS-CLEAN MC1.0** even at short contact times and lower application temperature.

Application

Pollution	Suitability
Lead-containing flux	√√
Lead-free flux	√ √
Water soluble flux	√ √
Solder paste	√ √
Oil/Fat	✓

Application Parameters

Parameter	
Application temperature	20-40°C
Cleaning duration approx	8-15min.
Rinsing	DI-Water
Drying	Convection/ Compressed Air
Application concentration	Ready to use

Specifications SYS-CLEAN MC1.0 is supplied as ready to use mixture.	
Density (at 20°C)	1 g/cm³
Boiling point	> 100°C
Flashpoint	>88°C
pH value	11,8



SYS-CLEAN MC1.0

Advantages: SYS-CLEAN MC1.0 is best suited for cleaning soldering frames and devices, as well as furnace parts and filters. The cleaner is virtually odorless. Due to the very high loading capacity and good filterability a cost efficient process is ensured.

SYS-CLEAN MC1.0 is formulated including a defoamer and is very gentle for cleaning plastic and aluminum parts.

Type of application: Spray in air / spray under immersion / ultrasonic

Purity Standards: SYS-CLEAN MC1.0 is water-based and biodegradable.

Safety: Please note the information in the MSDS.

Disposal: If required, we will take back used medium and undertake the disposal for you.

Availability: SYS-CLEAN MC1.0 is available in pack sizes of 25 or 200 liters.





